SUBJECT INDEX

A

Abiotic factors and forest herbivores, 178–79
Acanthocephala, 84
Acanthoscelides obtectus, 100, 244, 256
Acephate, 220, 229
Achipteria, 535, 537, 541, 543
  obscura, 535, 537
Acraea
  circeis, 245
  zetes, 245
Acrolepiopsis assectella, 122–23, 125
Acromyrmex landolti, 301
Acrosternum, 101
Activation of pesticides, 225
Aculus schlectendali, 462, 463
Acyrthosiphon
  kondoi, 462
  pisum, 462
Adaptations of terrestrial amphipods, 30–32
Adelges piceae, 185
Adoribatella vetusta, 541
Adoxophyes orana, 129
Aedes
  aegypti, 271–72, 279–80, 283, 507–8, 512–16, 527–28
  atropalpus, 246, 253–54
  nigromaculis, 276
  rupestris, 272
  stimulans, 276
  trivittatus, 273
  vexans, 283
Aepophilus, 74
Africobatus harpaloides, 244
Ageniaspis fuscicollis, 204
Aggregations, 372, 447
  and diapause, 248–50
  of *Zonocerus variegatus*, 483–84, 494–95, 498
Agria housei, 201–2, 206–7, 209
Agrotis ipsilon, 98
Alarm pheromones, 372
Aldicarb, 227
Alkaloids, 179, 489, 49
  and *Zonocerus variegatus*, 497
Allatectomy, 404, 418, 517, 524
Allatocidal compounds, 393, 396, 403–16
Allatostatin, 394, 397
Allatotropin, 394
Allylic alcohols, 400
Altosid, 284
Altruism, 297, 311
Amber and mites, 538
Amblymerus, 463
Amino acids and parasitoids, 200, 206–7, 209, 212–13
Amphipods, 25–48
Amrasca
  biguttula, 106
  devastans, 124, 126, 136
Amsacta moorei, 98
Anaphes flavipes, 213
Anastripha suspensa, 206
Andrector arcuatus, 100
Andromeda, 540
Anemotaxis, 133–34, 136
Anopheles, 270, 273–74, 276–78
  albimanus, 276–77
  annulipes, 278
  freeborni, 270
  gambiae, 246, 284
  quadrimaculatus, 274
  vernalis, 274
Anoplocnemis curvipes, 108
Antennal receptors, 127, 130
Aniennapedia complex, 161
Antheraea pernyi, 122, 128–29, 203, 326
Anthonomus grandis, 124, 126, 225, 244
Antibodies and imaginal discs, 159, 161
Anticarsia
  gemmatalis, 98
  irrorata, 98
Anticholinesterases, 223–26
Antifeedants, 400, 418
Antigens, 159
Anti juvenile hormone agents, 391–429
Antiteuchus tripterus, 372
Ants
  and herbivores, 182–83
  and mutualism, 373
  and nestmate recognition, 437, 444, 451
  and nutrient cycling, 188
  and treehoppers, 373–74
Anurogryllus muticus, 377
Aonidiella aurantii, 134
Apanteles marginiventris, 205
Aphaenogaster rudis, 300
Aphids
  and cowpeas, 102, 104, 106–8
  and odors, 121, 128–29
  and pesticides, 228
Aphis
  craccivora, 102, 106
  gossypii, 228
Aphodius, 381
Apis
  cerana, 300, 305, 308
  mellifera, 297–98, 300, 305, 308–9, 314, 438
Apomorphy, 68
Aposematic coloration, 479, 484, 495
Aprostocetus lamiicidus, 247
Aracanthus, 99
Archips cerasivoranus, 202
Archipteria curia, 541
Arcitalitrus
  dorrieni, 38
  sylvaticus, 38–39, 42
Aristapedia mutants, 155–56, 164
Armidillidium vulgare, 28
Artificial diets, 126
Artificial media and pathogens, 266–72, 274, 277
Artificial rearing of parasitoids, 197–219
Asarones, 417
Atherigona soccata, 412
Atta
  laevigata, 298, 301
  sexdens, 301
  texana, 301
Attacins, 326–27, 330, 333
Attacus cynthia, 203
Attractants for honey bees, 51–53
Austrotroides crenatus, 28, 40
Autapomorphy, 68
Azygophleps albovittata, 246

B

Bacillus
  sphaericus, 275–79, 284
  thuringiensis, 182, 278–84, 324
Bacteria and insect control, 275–84
Bacterial toxins, 275–83
Baeoctenus, 9

Baltic amber and mites, 538
Bark beetles, 122, 124, 128–29, 375, 464
Battus philenor, 258
Beachfleas, 35
Bees and nestmate recognition, 437, 442–43, 445, 451
Beetles and cowpeas, 98–101, 106–8
Belbites disodolia, 538
Benomyl, 227
Benzene hexachloride, 499
Benzoylprop, 231
Benzylphenols, 417
Bergidea, 83
Bioeconomics, 349
Biogeography, 68, 470
Biological control, 462–63, 470
  of cowpea pests, 108–9
Biological races, 134
Bionomics of *Zonocerus variegatus*, 479–505
Bithorax, 167
  mutants, 156, 160–61
Blaberus, 376
  discoidalis, 526
  craniifer, 323
Black flies and microbial control, 265–96
Blaesoxipha filipjevi, 486, 491, 493
Blastoderm, 150–53, 159
Blattella, 376
  germanica, 410, 507, 509–12, 524, 527
Bledius spectabilis, 377
Boll weevils, 124, 126, 225
Bollworms, 245, 251, 255–56
Bombus
  bifarius, 300
  huntii, 300
  hypnorum, 300
  lucorum, 300
  mori, 124, 130, 400–1, 410, 418
  terrestris, 300
  variabilis, 300
Brachymeria
  intermedia, 202, 206, 211
  lasus, 200, 202, 205, 208
  ovata, 206
Brachymyrmex depilis, 301
Brachypelta aterrima, 377
Brachytrupes achatinus, 377
Brain
  factor and egg proteins, 515–17
  hormone, 394
Breeding of honey bees, 54–55
Brood
  chambers, 375–77
  recognition, 435
Bruchidius atrolineatus, 100
Bruchids and cowpeas, 99–100, 107
Bruchophagus roddi, 123, 127
Bucculatrix thurberiella, 228
Bupirimate, 231–32
Busseola fusca, 245, 250, 255–56
Byrsotria fumigata, 376

C

Cabbage root flies, 122–25, 128–29, 135
Caenis, 11
Callionima falcifera, 245
Calliphora, 162–63
Callosobruchus, 100, 105–7
  maculatus, 99–100, 107
  rhodescianus, 100
Campoletis sonorensis, 198
Cannabinoids, 489
Carabodites pavesii, 538
Carausius morosus, 129
Carbamates, 223, 232
Carbosulfan, 221, 233
Cardiac glycosides, 180
Cardiocladius, 8
Carpophilus hemipterus, 124
Carrion and subsociality, 380
Carrot flies, 122–29, 131, 133
Carterus calydonius, 377
Cassava and *Zonocerus variegatus*, 488–89, 496
Caste determination, 304
Cavariella aegopodii, 124
Cave landhoppers, 38
Cecropia, 507
Cecropins, 326, 328, 330–31, 333
Cedria paradoxa, 378
Cell affinities, 151–52
Central processing, 131–32
Cephalodesmius, 377
Ceratitis capitata, 412
Ceratoppia bipilis, 538–39, 541
Cerotoma ruficornis, 100
Chalcodermus aeneus, 98, 106, 134
Charaxes, 243
Chekanowskia, 534
Chemical
  control of cowpea pests, 103–5
  defenses, 179, 180–81
Chemicals and insect communities, 467–68
Chemokinesis, 133–34
Chemotaxis, 133–34
Chilianella, 379
Chilo, 245, 250–52, 254, 256
  orichalcociliella, 245
  partellus, 245, 250–51, 254
Chironomidae, 1–23
Chironomus
  anthracinus, 5, 9–10, 12
  attenuatus, 4, 8
  dorsalis, 5
  hyperboreus, 12
  lugubris, 3
  plumosus, 2, 4, 6–7, 9–11
  riparius, 8, 13
  salinarius, 5
  tentans, 14–15
Cholesterol, 206, 211
Choristoneura fumiferana, 125, 131, 178, 184
Chortoicetes terminifera, 480
Chromaphis juglandicola, 463
Cimex lectularius, 407
Cimicoidea, 77
Cimicomorpha, 76, 78
Citral and honey bees, 53
Cladistics, 67–93
Classification of Heteroptera, 67–93
Clavigralla tomentosicollis, 101, 104
Cleptoparasites, 379, 381
Clothoda urichi, 373
Coccinella responda, 109
Cockroaches, 374, 376
  and precocenes, 410
Cocoons of Chironomidae, 7
Codling moth, 461, 464, 466
Coelomomyces, 273–75
Coevolution, 618
Colorado potato beetles, 123–24, 126, 129, 133–36
Color polymorphism, 251–52
Commensalism, 458–59, 473
Community
  development, 464–70
  structure and organization, 455–78
Compactin, 398–99
Competition, 458, 462
Conotrachelus nenuphar, 412
Continental drift dispersion, 36
Contrarinia sorghicola, 245, 255
Copepods and fungal pathogens, 273–74
Copris, 381
Coptosoma lyncea, 249
Copulation in bees, 305
Corcyra cephalonica, 411
Coreoidea, 83
Corpora allata, 253, 391, 393–420
  and yolk deposition, 513–14, 517, 522–24
Corpora pedunculata, 131
Corpus cardiacum, 513–14
Coryna hermanniae, 100
Corythucha, 370
Costelytra zealandica, 133
Cowpea pests, 95–119

Cricotopus, 9, 14
bicinctus, 6
Crinocerus sanctus, 101
Crowding, 481, 485
Cryptobiosis, 251, 255
Cryptocercus, 374
Cryptomyzus korschelti, 133
Cryptus sexannulatus, 201
Culex
annulirostris, 272, 278
australicus, 272
nigripalpus, 277
pipiens, 277
quinquefasciatus, 271–72, 276–78
tarsalis, 278
Culicinomyces clavisporus, 270–73
Culiseta inornata, 274
Cultroribula jurassica, 535–36, 543
Cultural control of cowpea pests, 107–8
Culture of parasitoids, 197–219
Cuticular penetration, 224–26, 230
Cyanogenic glycosides, 179, 488–89, 497
Cyclic DNA, 160–61, 330–31
Cydia ptychora, 97, 106, 108
Cytoplasmic polyhedrosis, 266

D

Dacus, 123, 125, 131
cucurbitae, 123, 125
dorsalis, 123, 125
Damaeus
mexicanus, 538
setiger, 538
Danaus plexippus, 242
Day length, 240, 242
and diapause, 253–54, 480
Defense behaviors, 321–22, 372
Defoliation, 186–87
and *Zonocerus variegatus*, 499
Deforestation and *Zonocerus variegatus*, 496
Delia
antiqua, 124–29, 135
brassicae, 122–25, 128–29, 135
platura, 351
Dendroctonus
brevicomis, 135
frontalis, 128, 135
pseudotsugae, 124, 128–29
Derivatization of pesticides, 221–37
Dermacentor variabilis, 413
Determination and imaginal discs, 145–75
Detritus, 8–10
and subsocial insects, 375–78
Deutocerebralis, 131
Diabrotica
adelpha, 100
balteata, 100
speciosa, 100
virgifera, 244, 250–51, 258
Diapause, 396, 411–12
and odors, 441
and precocenes, 411–12
associations, 447
in tropical insects, 239–64
in *Zonocerus variegatus*, 480, 493, 495
Diapterobates
notatus, 539
oblongus, 538, 540–41
rostralis, 539
Diatraea
grandiosella, 245, 253–54, 257–59
lineolata, 245, 255
Diparopsis
castanea, 251
watersi, 245, 255–56
Diploptera punctata, 376, 410, 415
Dipsocoromorpha, 73
Dispersal, 459, 485
of forest herbivores, 179
Distribution of *Zonocerus variegatus*, 493
DNA, 145–75
and sperm, 298
sequences, 520
Dolichovespula maculata, 433, 441, 444
Dormancy in tropical insects, 239–64
Drosophila, 123–25, 127, 132–35, 161–62, 167, 202, 255, 412, 507–12, 516–22, 528
hydei, 167
immigrans, 135
melanogaster, 124–25, 127, 131–35, 167, 326, 507–12, 516–22
Dung beetles, 381
and subsociality, 380
Dysdercus, 406–7
cingulatus, 407, 417

E

Eacles imperialis, 245
Ecdysone, 148, 204–5, 252–53, 410, 512–20, 524, 528
Eciton burchelli, 301
Economic injury levels, 341–68
Economic threshold, 341–42, 357–62
Ectobius panzeri,
Egg
diapause, 495
guarding, 372
Elasmopalpus lignosellus, 97
Elatides, 534
Electronantennograms, 127, 131, 135
Embryogenesis
and precocenes, 409
of imaginal discs, 146
of parasitoids, 200
Empoasca, 101–2, 105
christiani, 102
dolichi, 102, 105
kerri, 102
knudseni, 102
kraemeri, 102
pikna, 102
Encapsulation, 322, 325, 332
of fungi, 271
Endocrine interactions, 198
Endocrinology of insects, 391–429
Endotoxin, 280, 329
Energy utilization, 250
Enicocephalomorpha, 72–73
Entomophaga and *Zonocerus variegatus*, 491, 493–94, 496
Entomoviruses, 266
Entylia bactriana, 373
Enzymes and juvenile hormone, 393–94, 396
Eocamisia sukatshevae, 535
Ephestia
cautella, 245, 258
kuehniella, 199
Ephialtes caudatus, 201
Epicharis zonata, 247, 251
Epidamaeus, 539
Epilachna
dregei, 244
varivestis, 101, 412
Epoxidases, 405, 415
Epoxidation, 417
Epoxide hydrases, 405
Epoxides, 415
Eremaeus, 538
denaius, 538
Ethirimol, 231–32
Ethyl-methyl-dodecenoate, 416
Etiella zinckenella, 98
Euboettcheria trejosi, 248
Eucalcelia, 247
Eucelatoria bryani, 201, 203–4
Eulops, 539
Eupelops, 541–42
Euphumosia papua, 249
Euploea, 249
Eurema
diara, 245, 249
herla, 245
laeta, 245

European pine sawfly, 184
Eurycotis floridana, 376
Eurygaster integriceps, 408
Euschistus, 101
Eusociality, 311
Evolution of nestmate recognition, 449–51
Excretion
  by parasitoids, 199
  in terrestrial amphipods, 33
  of pesticides, 225–26
Exeristes
  comstockii, 210
  roborator, 200–2, 206–8, 210
Exoripoda chiapanensis, 538
Exotoxin, 279
Extrafloral nectaries, 182–83

F

Farnesoic acid, 398–99, 402, 405
Fat body, 201, 205
  and diapause, 250
  and egg proteins, 507, 509–10, 512–27
  and humoral defenses, 328, 330, 333
  and precocenes, 414
  oxidases, 405
Fatty acids
  and parasitoids, 206–9, 211
  and pathogenic fungi, 268
Feeding deterrents, 411
Feeding habits of Heteroptera, 84–86
Fenitrothion, 499
Fertility of *Zonocerus variegatus*, 490–91
Fertilization and forest herbivores, 186
Filter-feeding, 7, 8
Fiorina externa, 179
Fire ants, 467
Flavonoids and cowpeas, 106
Flight
  and precocenes, 410, 412
  behavior, 396, 410, 412
  muscles, 250, 253–55, 483
  of *Zonocerus variegatus*, 485
  range, 54
Floral
  attractants, 50–51
  competition, 50
Floresorchestia
  anomala, 36
  floresiana, 36
  pickeringii, 28
Fluoromevalonate, 393, 399–400
Foliar stability of pesticides, 232–34
Foliar uptake of pesticides, 230–32
Follicle cells, 508–9, 512
Food
  preferences, 487–88
  utilization, 481
  web, 458
Foraging
  behavior, 54, 56–57
  range, 56
Forficula auricularia, 376
Formica
  aquilonia, 301
  bradleyi, 301
  dakotensis, 300
  exsecta, 301
  montana, 301
  obscuripes, 183, 300
  opacicentris, 301
  pergandei, 301
  polyctena, 444
  pressilabris, 301, 309
  rufa, 301
  sanguinea, 301, 309
  subintegra, 301
  transkaucasica, 300
  yessensis, 301
Fossil mites, 533–45
Foundresses and nestmate recognition, 432–33
Frankliniella tritici, 103
Fruit flies, 122–26, 131, 135
Fungal epidemics, 491, 494–96
Fungi
  and Chironomidae, 11
  and insect control, 267–75
Fungicide derivatives, 221, 231, 233
Furcoribula pacifica, 541

G

Galleria mellonella, 201–2, 211, 323–30, 333, 399, 414, 416–17
Galls, 181
Galumna, 539
Galumnella, 539
Gammarus pulex, 29
Gargaphia solani, 370, 372
Genes
  and egg proteins, 507–531
  cloning of, 510–11, 513, 518
  coding of, 512
  expression of, 508
Genetic
  isolation, 482
  mosaics, 149
  relationships, 311
  selection of parasitoids, 213–14
Geraniol and honey bees, 53
Geromyia penniseti, 246, 255
Gerromorpha, 73–74
Gills of terrestrial amphipods, 32
Glossina, 379, 412
  morsitans, 248
Glucose and parasitoids, 208–10
Glucosinolates, 123, 179
Glycosidases, 489
Glycosides, 488–89
Glyptotendipes paripes, 3
Gnathotrichus, 375
Gondwanaland and terrestrial amphipods, 34, 36–37
Gonia cinerescens, 205, 211
Goniops chrysacoma, 372
Grandjeanobates, 539
Granulocytes, 323, 325, 332
Graphium policenes, 244
Grazing by Chironomidae, 9
Gregariousness, 181, 372, 483–84
Group
  behavior, 483–84
  feeding, 488
Growth
  rate, 481
  regulators, 284
Guilds, 458, 460, 462, 466
Gustatory receptors, 127, 135
Gynandromorphs, 149, 152
Gynes and nestmate recognition, 433–34, 441–42
Gypsy moth, 179, 183–84

H

Habitat organization, 458–464
Hafenferrefia translamellata, 541
Halictus marginatus, 300
Haploderma applicatum, 540
Haplodiploidy, 311, 315
Harpagoxenus
  canadensis, 300
  sublaevis, 300
Hedylepta indicata, 98
Heliconius ethilla, 243
Heliothis
  armigera, 98, 242, 245, 248, 254–55
  fletcheri, 245
  virescens, 198, 225, 323, 399–400, 416, 418
  zea, 98, 203, 212, 414
Heliscus tropicus, 375
Helochares lividus, 377
Hemlock looper, 178
Hemocoel, 332, 334
Hemocytes, 321–22, 328, 330, 332–34
  and infection, 321–22
  and precocenes, 406
Hemocytopenia, 324
Hemoglobin, 4, 5
Hemolymph, 4, 200, 202, 204–210, 321–27, 333, 378, 48[illegible]

and egg proteins, 507, 510, 513, 524
and hormones, 394
and infection, 322
and precocenes, 414
Herbicide derivatives, 231
Herbivory, 458
in forested ecosystems, 177–96
Hermannia
gibba, 540
gigantea, 541
Hesperocorixa, 76
Heteropteran classification, 67–93
Heterotrissocladius changi, 5
Hippodamia convergens, 412
Homeosis, 154
Homeotic
genes, 154–56, 160, 169
mutants, 159–62
Honey bee, 225
and nestmate recognition, 442–42, 445, 451
management, 49–65
venom, 327
Honeydew, 188, 373, 463
and Chironomidae, 10
Hormonal
interactions, 198, 204
regulation, 205
regulation of diapause, 252–53
Hormones and parasitoids, 204–5
Host plant
odors, 121–44
selection, 121–44
House fly, 225
Humbe tenuicornis, 494
Humoral
defensive responses, 325–35
immunity, 325
Hyalophora
cecropia, 326, 328–30
gloveri, 130
Hydropene, 205, 411
Hydrozetes, 534, 538–39, 541–43
confervae, 539
lacustris, 539–40
oryctosus, 541
smithi, 538
Hylemya platura, 125
Hylesia lineata, 245
Hylobius abietis, 124, 128–29
Hyperparasitoids, 460, 463
Hyphantria cunea, 399
Hypochthonius, 542
Hyposoter exiguae, 198

I

Ichthyocladius, 12
Imaginal discs, 145–75
Imidazoles, 400
Immunology, 320–39
Imprinting, 433–44
Inducible defenses and herbivory, 180–81
Insecticide derivatives, 221
Insemination, 304–9
Integrated control, 341, 343
Integrated pest management, 343, 363, 456, 459
of cowpeas, 109
In vitro culture of parasitoids, 197–219
Ips, 375
grandicollis, 124
pini, 128–29, 135
Iridomyrmex purpureus, 300
Island biogeography, 470
Isopentenylphenols, 415–16
Isopods, 25, 28, 30, 33–34
Isothiocyanates, 123
Itoplectis conquisitor, 201–2, 206–7, 211–12

J

Jadera obscura, 249
Juracarus serratus, 534
Jureremus foveolatus, 535–36
Juvenile hormone, 204–6, 252–53, 391–429, 485, 512–28
and egg proteins, 515, 524, 526–28
biosynthesis, 397–403
Juvenoids, 391

K

Keratroides, 33
angulosus, 39, 41–42
vulgaris, 28, 39, 41–42
Kin
recognition, 314, 431–54
selection, 297, 315
Klinotaxis, 133
K-selection, 40–41

L

Labidura riparia, 376
Lagenidium giganteum, 267–70, 284
Lagria villosa, 101
Lambdina fiscellaria, 178
Lampromicra senator, 249
Landhoppers, 25–48
Lasioglossum
rohweri, 300
zephyrum, 300, 307, 314, 438, 443
Lasius
flavus, 301
niger, 301
Laspeyresia pomonella, 125, 131, 411, 461, 464, 466
Leafhoppers and cowpeas, 100–2, 104–5, 107
Leaf litter and terrestrial amphipods, 42
Leafminers and cowpeas, 103, 106
Learning, 135
and nestmate recognition, 441–51
Lectins, 179, 324–25, 327, 332
Leotichius, 74–75
Leptinotarsa decemlineata, 123–24, 126, 129, 133–35, 250, 411–12, 417
Leptocorisa acuta, 249
Leptoglossus, 407
phyllopus, 101
Leptopiliana, 247, 254–55, 258
boulardi, 247, 254–55, 258
Leptopodomorpha, 74–75
Leucophaea maderae, 376, 507k, 509, 511–12, 524, 526–27
Liacarus acutidens, 541
Liebsiadia durhami, 538
Life cycles of Chironomidae, 1–2
Life history
of terrestrial amphipods, 39–40
organization, 458–60
Life tables, 360
Limnozetes
rugosus, 539–40
sphagni, 539–40
Lipid metabolism, 210
Lipids and parasitoids, 206, 210
Liriomyza, 106
trifolii, 103
Listroderes costirostris, 126
Lixophaga diatraeae, 201, 203
Locusta, 180
migratoria, 126–32, 328, 406, 409, 414, 419, 481, 489, 507, 509, 511, 520–24, 527
Locusts, 244, 254, 257
Lygaeidae, 82
Lygaeus kalmi, 407
Lygus
hesperus, 101
lineolaris, 351
Lymantria dispar, 179, 183–84
Lysozyme, 325–26, 328–31, 333

M

Madurasia obscurella, 100
Malaconothrus, 540
Malacosoma
americanum, 130, 183
disstria, 179

Malaria, 265
Malathion, 223
Malcidae, 83
Mamestra brassicae, 398
Management of honey bees, 49–69
Manduca sexta, 122, 127–32, 135, 180, 245, 254–55, 324, 326, 328–30, 333, 395, 398–401, 403, 413, 416, 418
Maruca testulalis, 96–97, 106–8, 110
Maternal subsocial behaviors, 373–90
Mating
  behavior, 297–307
  by *Zonocerus variegatus*, 484, 487
  in terrestrial amphipods, 31
Maura lurida, 495
Mecas inornata, 464
Meconium, 199
Medythia quaterna, 100
Megacephala sobrina, 244
Megalurothrips
  distalis, 103
  sjostedti, 102, 104, 106
Megaselia scalaris, 492
Melanagromyza vignicollis, 103
Melanization, 323, 325, 332
  of cuticle, 271
Melanoplus, 481
  differentialis, 464
Melanozetes orientalis, 541
Meligethes aeneus, 123
Melipona, 300, 304, 308
  marginata, 300
  quadrifasciata, 300
  quinquefasciata, 300
Melon flies, 123, 125
Menochilus sexmaculatis, 109
Mermis, 492
Messenger RNA, 330–31, 514, 516, 524
Metabolism
  and diapause, 250
  of parasitoids, 199, 210
Metamorphosis, 148–49, 404
  and juvenile hormone, 395
Metaseiulus occidentalis, 462
Metathetely, 408–9, 411
Methamidophos, 223–31
Methomyl, 232–33
Methoprene, 284, 391, 400, 413, 417
Mevalonate, 397, 399
Micreremus, 535
Microbial
  agents, 109
  control, 265–96
Microplitis croceipes, 198, 205
Microsomes, 405
Microsporidia, 266
Microterys flavus, 210
Midges, 1–23
Migration and diapause, 249
Minarthrum, 375
Miridae, 78
Mischocyttarus, 442
Mites, 462–63, 466
  and biological control, 462
  and Chironomidae, 11
  as fossils, 533–45
Mitosis in imaginal discs, 162–63
Mitotic recombination, 149
Mixed-function oxidases, 402, 405
Moisture and diapause, 256
Moltinism, 418
Monoandry in social insects, 297–304
Monochamus notatus, 129
Monoclonal antibodies and imaginal discs, 158–59, 164
Monomorium salomonis, 301
Morphogenesis, 148
Morphometrics, 482–83
Mortality of *Zonocerus variegatus*, 491–93
Mosaics, 149
Mosquitoes and microbial control, 265–96
Mutations and imaginal discs, 153–54
Mutualism, 458–59, 473
Mycocepurus goeldii, 301
Mylabris, 100
Myrmica
  americana, 300
  rubra, 301
Mysticotalitrus tasmaniae, 39–42

N

Nasonov gland, 52–53
Nasonovia ribis-nigri, 129–30
Natural enemies, 456, 459, 464
Nectar, 50–51, 554–55, 58–59, 469
  and Chironomidae, 10
  and honey bees, 50–51, 54–55, 58–59
Nematodes, 351
  and Chironomidae, 11
  and precocene, 413
Nemeritis canescens, 199–200
Neodiprion sertifer, 184
Neoribates macrosaculatus, 541
Neortholomus, 83
Neoteny, 34
Nephotettix cincticeps, 400
Nepomorpha, 75
Nestmate recognition, 431–54
Neurosecretory cells, 513–14
Nezara viridula, 101
Nicrophorus, 381
Niliparvata lugens, 408
Niphargus
  talikadzei, 29
  virei, 29
Nodule formation, 322–24, 330, 332–33
Noliphus erythrocephalus, 249
Nomadacris septemfasciata, 243–44, 253, 480
Nosema algerae, 266
Nothroidea, 542
Nuclear polyhedrosis, 82, 266
Nurse cells, 508
Nutrient cycling, 178, 183, 186–88
Nutrients and herbivory, 182
Nutrition of parasitoids, 197–219

O

Odonata and Chironomidae, 11
Odontomesa fulva, 7
Odontopus sexpunctatus, 244, 249
Odontotaenius disjunctus, 375
Odor
  and nestmate recognition, 436–51
  components, 123–25
  conditioning, 135
  dispersion, 132–33
  interference, 136
  perception, 121–44
  preference, 134–36
Oenocytoids, 325
Olfactory
  conditioning, 135
  orientation, 132–34
  receptors, 122, 127, 135
  response, 487
Omania, 74
Oncopeltus, 242, 248, 393, 395, 403–4, 406–7
  cingulifer, 248
  fasciatus, 248, 253, 259, 393, 395, 403–4, 407, 410, 412, 414, 417
  longirostris, 248
  sandarachatus, 248
  unifasciatellus, 248
Oogenesis, 396, 412–13, 508–9
Ootheca mutabilis, 100
Operophtera brumata, 177, 180
Ophiomyia phaseoli, 103
Oppia hurdi, 538
Oppites melilii, 538
Orchestia, 29
  chevreuxi, 29
  gammarellus, 33
  hurleyi, 28, 33, 39–42
  patersoni, 39, 40–42

Orgyia pseudotsugata, 179
Orgyris amaryllis, 182
Oribatid mites, 533–45
Orientation mechanisms, 133–34
Ornithodoros parkeri, 413
Osmoregulation in terrestrial amphipods, 33
Osmotic
  pressure and parasitoids, 202–3, 208–9
  regulation and toxins, 280
Osmotropotaxis, 133
Ostrinia nubilalis, 122, 125, 353, 414
Oviposition, 122–23, 126, 131, 134–36
  by parasitoids, 211–13
  by *Zonocerus variegatus*, 484, 486–87, 493, 498, 500
Ovoviviparity, 381
Oxycarenus lavaterae, 407
Oxygenation and Chironomidae, 5, 7, 12, 14

P

Pachycrepoideus vindemiae, 202, 206
Palaeochthonius krasilovi, 534
Panaphis juglandis, 463
Panonychus ulmi, 462–63
Panstrongylus, 407
Pantomorus glaucus, 99
Papaipema nebris, 351
Papilio
  alphenor, 244
  demoleus, 124, 130, 134
  nireus, 244
  polyxenes, 244
Parachipteria sibirica, 541
Parachironomus biannualatus, 10
Paramegalonychus brauneanus, 244
Parasite diapause, 256
Parasitic Chironomidae, 9
Parasitism, 455, 458–60, 462–64, 467, 469, 476
  of Chironomidae, 11
  of herbivores, 182–83
  of *Zonocerus variegatus*, 492
Parasitoid culture, 197–219
Parasitoids, 455, 458–60, 462–64, 469
  and precocenes, 413
Parastrachia japonensis, 377
Paratendipes albimanus, 2, 8, 15
Parental
  behaviors, 369–70
  defense, 372
  subsocial behavior, 380–82
Parorchestia, 28, 29
Passalozetes karppinini, 540
Pathogens of insects, 266–72, 274, 277
Pattern formation, 151–52
Pattonella intermutans, 248
Pectinophora gossypiella, 202, 207, 242, 246, 248, 253, 255–56, 258–59, 417
Pegomya betae, 136
Pelops punctulatus, 538
Pemphigus, 181
Pentacomia egregia, 244
Pentatomoidea, 84
Pentatomomorpha, 81
Periplaneta, 398, 400
  americana, 327–28, 398, 400, 403, 405, 410
Perisphaerus semilunatus, 376
Peritropnic membrane, 322
Pesticide derivatization, 221–37
Pest management, 341–68
Pests of cowpeas, 95–119
Phaedon cochleariae, 124, 126
Phagocytosis, 322–25, 330, 333
pH and Chironomidae, 4
Pheidole sitarches, 300
Phelypera distigma, 244
Phenocopies, 154–55
Phenolics, 179–80, 188
Phenoloxidase, 332
Phenols and cowpeas, 106
Phenopelops, 538
Pheromones, 123, 126, 128, 133, 184, 372, 375, 396
  and honey bees, 51–53, 58
  and nest recognition, 450
  and precocenes, 411
Phlebonotus pallens, 376
Phloem mobility of pesticides, 232
Phoretic Chironomidae, 12
Phormia regina, 127
Phosphorothionates, 223
Photoperiod
  and diapause, 253–54, 480
  and dormancy, 241
  and fungal pathogens, 274
Photosynthesis, 185
  and defoliation, 187
  and economic injury level, 351
Phrenaptes bennetti, 375
Phryganidia californica, 399
Phryxe caudata, 200, 203
Phycomycetes and simuliids, 275
Phyllocoptruta oleivora, 354
Phyllotreta cruciferae, 123, 136
Phylogenies, 68
Phylogeny of terrestrial amphipods, 30–35
Phymateus purpurascens, 484
Physical defenses to forest herbivores, 181
Physiology of parasitoids, 199
Physomeris grossipes, 372
Phyteumas olivaceus, 495
Phytohormones, 180
Pieris brassicae, 129–30, 132, 202
Piesmatidae, 84
Piezodorus guildinii, 101
Piezotrachelus varium, 99
Pimpla
  instigator, 199
  turionellae, 201
Pinocytosis, 509
Piperonyl butoxide, 402, 407, 415
Plant
  architecture, 458
  bugs and cowpeas, 101
  defenses, 178
  resistance of cowpeas, 105–7
Planthoppers and odors, 121
Plasmatocytes, 323, 332
Plategeocranus sulcatus, 538
Plathypena scabra, 345, 356–58
Platigaster, 463
Platorchestia japonica, 35, 39–40
Platyliodes ensigerus, 538
Platynothrus punctatus, 542
Plesiomorphy, 68
Plodia interpunctella, 246, 254
Plutella maculipennis, 123–24
Poecilocerus, 484
Poecilometopa
  punctipennis, 247
  spilogaster, 247, 250, 257
Pogonomyrmex
  badius, 301
  barbatus, 301
  californicus, 301
  desertorum, 301
  maricopa, 301
  occidentalis, 301
  rugosus, 301
Polistes, 431–54
  carolina, 433, 441, 443
  exclamans, 433
  fuscatus, 304, 432–38, 441, 443, 449–50
  gallicus, 433, 435
  metricus, 300, 304, 432, 443
  variatus, 300, 309
  versicolor, 300
Pollen, 50–52, 54–55, 58–59, 469
  and diapause, 256
  and honey bees, 50–52, 54–55, 58–59
  attractants, 52
Pollination and honey bees, 49–65
Pollution and Chironomidae, 12–15

Polyandry in social insects, 297–304
Polyderis nympha, 244
Polyergus lucidus, 301
Polymorphism, 100
  and diapause, 251–52
Polypedilum vanderplanki, 246, 251, 255
Popillia japonica, 124–25
Population systems, 455–78
Preadaptations
  for subsociality, 370
  to nestmate recognition, 431
Precis
  octavia, 245, 252
  pelarga, 245
Precocene, 517, 523, 393, 396, 403–16
Precocious metamorphosis, 391, 395, 398, 401, 403–4, 408
Predation, 455, 458–60, 462–64, 467, 469, 473
  by Chironomidae, 8
  of herbivores, 182–83
Predators, 455, 458–64, 467, 469, 473
  and subsociality, 378
  of Chironomidae, 11
  of terrestrial amphipods, 43
Prenolepis imparis, 301
Procladius, 6
Promecops, 99
Prorhinotermes simplex, 410
Proteins and imaginal discs, 157
Prothetely, 396, 410, 413
Prothoracic gland, 252–53
Protocerebralis, 131
Protoxin, 280, 283
Protozoa and insect control, 266–67
Pseudomyrmex ferruginea, 441
Pseudotorellia, 534
Psila rosae, 122–33
Psorophora colombiae, 277
Psylla pyricola, 464, 469
Psyllids, 464, 469
Pteromalus puparum, 199, 202
Ptyctima, 542
Publilia reticulata, 373
Pupipary, 379
Pyrethroids, 232
Pyroppia arctica, 541
Pyrrhocoris apterus, 407
Pyrrhocoroidea, 84

R

Rainfall
  and diapause, 255–56
  and dormancy, 241
Rasnitsynella punctulata, 535, 537
Realized fecundity, 490–91
Receptors, 122, 127, 130, 135
  for juvenile hormone, 395–97
Recognition in social wasps, 431–54
Reduvioidea, 81
Regeneration, 149, 151, 153
Regulation of gene expression, 512–16
Repellants, 134
  and honey bees, 53–54
Reproduction and juvenile hormone, 395
Resources and subsociality, 371
Respiration, 481
  of parasitoids, 200–1, 204
Restriction mapping, 160
Rhagoletis
  completa, 463
  lycopersella, 246
  pomonella, 122–23, 125–26, 135, 412
Rheotanytarsus, 7
  curtistylus, 2
Rhinocoris, 380
Rhopalomyia californica, 463
Rhopalosiphum padi, 124
Rhynchaenus quercus, 1291
Rhytidoponera
  chalybaea, 300
  confusa, 300
Riptortus dentipes, 107
RNA, 160, 325, 328, 330
  hybridization, 161
Rodnius prolixus, 407–8, 415
Rothschildia lebeau, 245, 252
r-selection, 41
Rupela albinella, 245, 255

S

Sachalinella zherichini, 538
Salinity
  and Chironomidae, 5
  and terrestrial amphipods, 34
Salivary
  sheath, 85
  toxins, 184
Samia cynthia, 399
Sandhoppers, 35
Saponins, 180
Sarcophaga, 247, 250, 252, 258
  bullata, 417
  exuberans, 247
  haemmorrhoidalis, 247
  inzi, 247, 250
  monospila, 247
  par, 246
  peregrina, 157, 247, 259, 327
  ruficornis, 247
Scapheremaeus brevitarsus, 538
Scent training of honey bees, 51–52, 59
Scheuzeria, 540
Schistocerca gregaria, 133, 244, 255, 257, 409
Scirpophaga innotata, 245, 251
Sclerotization, 325
Scotinophara lurida, 244, 249
Scutoribates perornatus, 538
Scutozetes, 540–41
  lanceolatus, 541
Seasonality in the tropics, 231–64
Seed beetles and cowpeas, 99–100, 107
Sehirus
  bicolor, 377
  cinctus, 377
Selection of honey bees, 54–55
Selective toxicity, 223–26
Semiochemicals, 211–12
Sensilla, 127–28, 131, 135
Sequestration of toxins, 479, 481, 484, 489, 492, 498
Sergentia albescens, 4
Sericothrips occipitalis, 103
Sesquiterpenes, 397
Sex
  determination, 315
  pheromones, 450
  ratio, 302, 306
  ratio of terrestrial amphipods, 40
Shore-hoppers, 36–37
Silba adipata, 123
Similium damnosum, 281, 283
Siopelus Kivuensis, 244
Sirex noctilio, 129
Sitobion avenae, 128–29
Smittia, 10
Smyrna karwinskii, 245, 249
Social insects and sperm utilization, 297–320
Sociality, 311, 315, 369
Social wasps, 431–54
Sociobiology, 431
Solenopsis
  geminata, 467
  invicta, 301, 304
  lou, 301
Sound production, 487
Species
  diversity, 468
  pool, 464–73
Spelaeorchestia kaloana, 33, 38
Spercheus emarginatus, 377
Sperm
  acquisition, 304–9
  competition, 309, 382
  displacement, 308–9
  precedence, 309
  utilization, 297–320
Spermathecae, 298–99, 304, 307–8, 311, 313
Spermatozoa, 298, 313
Sphaerozetes convexalis
Sphecius speciosus, 449–50
Spissistilus festinus, 351
Spodoptera, 399, 411

eridania, 328–29
exempta, 245
exigua, 399
frugiperda, 98
latifascia, 98
littoralis, 98, 124
Spruce budworm, 178, 184
Stem borers and cowpeas, 97
Stemmocrypta, 73
Stenotarsus rotundus, 243–44, 248–55
Steroids, 397
Sterols
and honey bees, 52
and parasitoids, 296
and pathogenic fungi, 268
Strieremaeus
cordiformatus, 538
illibatus, 538
Subcommunities, 460–61, 466
Subsocial
behavior, 369–90
insects, 369–90
Sun compass reaction, 485
Supella supellectilium, 376
Svalbardia rostralis, 539–42
Sweat bees and nestmate recognition, 442–43, 445, 450–51
Symbiocladius, 9
Symplesiomorphy, 68
Symposiocladius lignicola, 3
Synapomorphy, 68
Synapsis, 381
Synergism of odors, 125–26
Systematics, 67–93
Systemic pesticides, 227
Systoechus
aurifacies, 246
somali, 246

T

Tabanus
guineensis, 246
taeniola, 246
Talitroides, 29, 36
alluaudi, 37–38
topitotum, 37–38
Talitrus, 29
kershawi, 42
Talorchestia, 29
quoyana, 31
Tannins, 179–80, 188, 466
and cowpeas, 106
Tanytarsus gracilentus, 12
Tatochila xanthodice, 248, 258
Tectocepheus velatus, 540
Teleogryllus
occipitalis, 248, 259
oceanicus, 248
Temperature
and Chironomidae, 5–7
and diapause, 254–55
and dormancy, 240
Tenebrio molitor, 412, 414
Tent caterpillar 179
Termites, 466
Terpenes, 123
Terpenoids, 179–80, 257
Terrestrial amphipods, 25–48j
Tetranychus
mcdanieli, 462
urticae, 463
Tetrastichus schoenobii, 203, 212
Thelohanids, 267
Thermobia domestica, 413
Thermophilum sexmaculatum, 248
Thienemanniella vittata, 6
Thiodicarb, 221, 232–33
Thrips
and cowpeas, 102–10
palami, 103
Tiorinia externa, 462
Tobacco budworms, 225
Tolerance by plants, 356
Tortrix viridana, 188
Torymus
baccharicidis, 463
koebeli, 463
Tougaspidiotus tsugae, 462
Toxicology of precocenes, 407
Tracheae and parasitoids, 201
Transcription of mRNA, 510–11
Transdetermination, 153
Translocation, 186
of pesticides, 226, 232
Transpiration, 185, 187–89
and defoliation, 187–89
Transplantation of imaginal discs, 148
Trehalose, 198, 204, 210, 212
Triatoma, 407
Trichobothria, 81
Trichogramma
californicum, 212
confusum, 203, 2213
dendrolimi, 203, 212–13
minutum, 212
pretiosum, 203, 212–13
Trichoplusia ni, 134, 198, 203, 208, 212, 396, 399
Trichoribates incisellus, 540
Trigona postica, 304
Trimalaconothrus, 542
novus, 540
Trioxys pallidus, 463
Tritomegas bicolor, 377
Troglodytic amphipods, 33
Trophallaxis, 374
Trophic
cells, 509
eggs, 377
organization, 458
Tropical dormancy, 239–64
Trypargilum superbum, 379
Trypodendron lineatum, 124
Trypsin inhibitor, 107
Tussock moth, 179, 185, 464
Tutoridens kirgiljakhikus, 541

U

Uptake of pesticides, 226–32
Urania fulgens, 245
Urban pests, 362
Urbanus proteus, 98

V

Variegated grasshopper, 479–505
Venom, 327
Vespa crabro, 300
Vespula
atropilosa, 300
germanica, 300
maculifrons, 300, 434
orientalis, 418
pensylvanica, 300
Viruses and insect control, 266
Virus vectors and cowpeas, 100, 102, 106
Vitamins and parasitoids, 206, 211
Vitellogenesis, 487, 507–31
Vivipary, 379
Voltinism, 1–2, 15, 39, 482

W

Water
conservation, 243, 250–51
loss, 249
quality and Chironomidae, 12–15
Weevils and cowpeas, 99, 106–7
Whiteflies and odors, 121
Wing length, 483, 485–86, 495
Winter moth, 177, 180
Wood and subsocial insects, 374–75

X

Xyleborus ferrugineus, 126

Y

Yolk proteins, 507–31
Yponomeuta padellus, 129

Z

Zatropis, 463
Zelus, 380
Zonocerus variegatus, 243–44, 250–51, 479–505
Zoogeography of terrestrial ampipods, 36–38